

The Top 10 computing jokes

teachinglondoncomputing.org/computing-crackers/

JOKE 10

How many programmers does it take to change a light bulb?

JOKE 10: Answer

It can't be done.

It's a hardware problem.

JOKE 9

When cybernetics pioneer Norbert Wiener moved house his wife worried about how absent minded he was, so gave him a note with directions home. By the end of the day he'd forgotten where he put the note. Ever resourceful he went to his old neighbourhood where he asked a girl in the street "Little girl could you tell me where the Wiener family who lived there moved to?" The girl replied "Yes Daddy: Mummy said you'd be here and sent me to wait to take you home".

JOKE 8

[“hip”, “hip”]

- hip hip array

JOKE 7

Two bits walked into an expensive bar, but were thrown out because they didn't have enough for a byte.

JOKE 6

A man and a woman enter a house watched by a biologist, a computer scientist and a mathematician.

A little later three people come out.

The biologist, exclaims

“They must have reproduced!”

The Computer Scientist says

“Ahh! there was an initialisation error”.

The mathematician remarks

“If another person goes into the house, then the house will be empty.”

JOKE 5

What says :
“Pieces of nine, Pieces of nine”?

JOKE 5: Answer

A Parroty Error

JOKE 4

A programmer, a software engineer and a theoretical computer scientist were driving to Swansea. Crossing in to Wales they saw a black sheep alone in a field.

The programmer said “Hmm! Welsh sheep are black”.

The software engineer said “No, some Welsh sheep are black. We need to test more”.

The theoretical computer scientist sighed and said “There exists in Wales at least one field in which there is at least one sheep which has at least one black side”.

JOKE 3

Why do computer scientists get confused between Halloween and Christmas?

JOKE 3: Answer

Because Oct 31 = Dec 25

JOKE 2

There are 10 types of people ...
those who understand binary,
and those who don't.

JOKE 1

There are 10 types of people:
those who understand binary,
those who don't ...

...and those who count from 0.

Download these slides from
teachinglondoncomputing.org/computing-crackers/